



TOMRA T9 with MultiPac

Say hello to high
volume



The most efficient single-feed recycling experience you can offer your customers

Double the number of customers you can serve at one time. Breeze through twice as much volume with two T9 recycling stations on a single backroom unit.



Go ahead, turn up the volume

Accept the most containers and crates of any single-feed machine before emptying a bin. Dual feeds with TOMRA Flow technology keep the input stream moving quickly, and the MultiPac offers up to seven cabinets for the largest storage capacity available.

Downtime-free maintenance

With dual lines and bin re-routing available, there's always a line running, even during bin exchange, routine service or cleaning. And with fewer components and intuitive interfaces, cleaning is done in a flash.



TOMRA T9 with MultiPac




Made to order just for your store

Each T9 MultiPac system is crafted to fit the needs of your customers and your store. Accept any type of recyclables including refillables and crates. Choose from a wide selection of cabinet configurations and end-of-lane kits as your volume and mix of recyclables require.



TOMRA T9 with **MultiPac**




Recycle, reuse, rethink?
We can always update your program

Our systems are scalable, so when things change, we can make it work by updating your configuration or expanding your capacity.



Fully connected for a smarter experience

Make your T9 MultiPac system even more powerful by using TOMRA's digital tools to engage customers, drive sales and run your system more efficiently.



Notify+Assist



myTOMRA



Voucher Control



Promotion



Weekly Reports



API Integration

LET'S PUT RECYCLING TO WORK FOR YOU

TOMRA's vision is Leading the Resource Revolution, helping to manage our planet's precious resources, today and tomorrow.

We believe that Clean Loop Recycling is the simple solution for keeping used beverage containers out of the waste stream, moving valuable materials from single use to multiple use.

As a retailer, you're at the heart of Clean Loop Recycling. You play a critical role at the point where consumers buy and return their containers.

Let's put recycling to work for you, and together we can maximize the positive impact for your customers, for your business, and for the planet.



When you partner with TOMRA, your business can experience real benefits:

A great recycling experience for your customers

Be prepared for your customers when they're ready to recycle with tailored solutions, industry-leading technology and powerful digital tools that make their experience efficient, easy and engaging.

Efficient operations for peace of mind

Keep your store running smoothly with a reverse vending system that's accurate, secure and efficient and service that's responsive and ready to get you back to recycling anytime you could use a hand.

A smart investment for long-term benefits

Choose a full-service partner with a global scale, extensive experience, high quality and continuous improvements that will keep your reverse vending system working hard for your business for years to come.



TOMRA T9 with MultiPac

Dimensions	1600 mm x 5000 mm x 1800-1940 mm [W x D x H] ¹
Footprint	8 m ² (rectangular footprint) ¹
Accepted containers	Cans, plastic bottles, glass bottles and crates ²
Storage capacity per bin ³	PET bottles: Up to 1500 (compacted) Cans: Up to 6000 (compacted) 50/50 mixed PET bottles/cans: 2000 (compacted using mix crusher) Glass bottles: up to 400 ⁴
Configurations	Cabinets: 2-7 cabinets Tunnels: Short (no crate), medium or long tunnel (for crates) Cabinet config.: PET crusher / Can crusher / Mix crusher / Glass crusher / Glass drop End-of-lane kits: End default / SoftDrop / Table with raiser/ RearDrop
Recognition technology	TOMRA Flow TOMRA True Vision ²
Speed capability ⁵	Up to 60 containers per minute Up to 21 crates per minute ²
Electrical – Mains EU	MultiPac: 400 V AC, 3-phase w/ground, 50 Hz, 16 A TOMRA T9: 230 V AC, 1-phase w/ground, 50 Hz, 10 A
Digital products	Fully compatible with Digital Starter Pack (with Notify+Assist Basic, Weekly Digest and myTOMRA), Notify+Assist Premium, Weekly Reports, Donation, Promotion, Couponing, Voucher Control and APIs & Integrations.

¹ Nominal figures for required system footprint (service area not included), configured as shown. Depth increases 1000 mm per additional cabinet for MultiPac.

² T9 BC model.

³ Approximate figures for 1x 1/1 Euro pallet with shakedown. Capacities will vary with object mix, type and system configuration. Module availability may vary across markets.

⁴ Weight limitation, approximate number.

⁵ Performance data may vary across markets, deposit regulations and system requirements.

Detailed products specifications and tailored installation drawings can be provided upon request.



Get in the Loop at tomra.com



LEGAL COMPLIANCE

This product is a configurable system of machine components. When assembled on installation site, tested and connected to the grid, the installation must be labelled and have the CE mark affixed. The CE marking is based on the following European Directives:

- 2006/42/EU, Community Legislation on Machinery.
- 2014/30/EU, Electromagnetic Compatibility (EMC).
- 2011/65/EU, Restrictions of Hazardous Substance (RoHS).
- 2012/19/EU, Waste Electrical and Electronic Equipment (WEEE).



TOMRA CERTIFICATION

TOMRA SYSTEMS ASA has implemented and maintains a Quality and Environmental Management System which fulfils Nemko's provisions for Management System Certification and the requirements of standards NS-EN ISO 9001:2015 and NS-EN ISO 14001:2015, with the scope described by the organization on 2018-05-29. The certification covers the development and delivery of automated systems for recycling.

We reserve the right to make changes to specifications without prior notice. While every effort has been made to ensure all information contained in this document is accurate, TOMRA assumes no liability for any errors, inaccuracies or omissions that may occur. All products and offers are subject to country availability. Please consider the environment before printing.